



Customer: Gooden Corporation and TC-Eloquence

Address: P.O. Box 172452

Denver, CO 80217

Sample ID: Strawberry Gummy w/ CBD Powder

Matrix: Edible

Labnumber: 21C0039-01 Total mass or volume per unit (g or mL): 5.435

Cannabinoid Profile

Test Conditions: 19°C Extraction Technician: SH


Analytical Chemist: CB Extraction Date(s)

Analytical Chemist: CB Size Parallel Size Parallel

Allalytical offernist. OB			3/1/202	3/2/2021
Cannabinoids (HPLC)			Results	S
	LOD (mg/g)	%	mg/g	mg/gummy
Cannabidivarin (CBDV)	<0.10			
Cannabidiolic Acid (CBD-A)		0.05	0.465	2.53
Cannabigerolic Acid (CBG-A)	<0.10			
Cannabigerol (CBG)	<0.10			
Cannabidiol (CBD)		0.04	0.364	1.98
Tetrahydrocannabivarin (THCV)	<0.10			
Cannabinol (CBN)	<0.10			
delta 9-Tetrahydrocannabinol (THC)	<0.10			
delta 8-Tetrahydrocannabinol	<0.10			
Cannabichromene (CBC)	<0.10			
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.10			
Cannabinoids Total		%		mg/g
Max Active THC		0.00		0.00
Max Active CBD		0.08		0.77
T.Active Cannabinoids		0.04		0.36
Total Cannabinoids		0.08		0.83

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 2% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values.

Blank results indicate the compound was below the limit of detection.





Reporting Limits will vary based on sample extraction weight used for the analysis.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.